



201904160015

04/16/2019 09:35 AM Pages: 1 of 4 Fees: \$102.00
Skagit County Auditor

BRIAN & REBECCA RUDDY
3511 31ST DRIVE
EVERETT, WA 98201

DOCUMENT TITLE: CERTIFICATE

REFERENCE NUMBER:

GRANTOR

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
ECOLOGY NORTHWEST REGIONAL OFFICE (ECY
NWRO)
3190 - 160TH AVE SE
BELLEVUE, WASHINGTON 98008-5452
(425) 649-7000

GRANTEE

BRIAN & REBECCA RUDDY
3511 31ST DRIVE
EVERETT, WA 98201

LEGAL DESCRIPTION

Source Name	Parcel	Township	Range	Sec	QQ Q
LAKE CAVANAUGH	P66943	33N	6E	22	SWSE

AUTHORIZED PLACE OF USE

Lot 171, Block 1 "LAKE CAVANAUGH SUBDIVISION, DIVISION NO. 3", Skagit County, Washington.

PARCELS: P66943

File NR S1-28809
WR Doc ID 6779053



State of Washington
Department of Ecology
CERTIFICATE OF WATER RIGHT



This is to certify that the herein named applicant has made proof to the satisfaction of the Department of Ecology of a right to the use of the public waters of the State of Washington as herein defined, and under and specifically subject to the provisions contained in the Permit issued by the Department of Ecology, and that said right to the use of said waters has been perfected in accordance with the laws of the State of Washington, and is hereby confirmed by the Department of Ecology and entered of record as shown, but is limited to an amount actually beneficially used.

PRIORITY DATE November 10, 2015	APPLICATION NUMBER S1-28809A	PERMIT NUMBER S1-28809P	CERTIFICATE NUMBER S1-28809C
---	--	-----------------------------------	--

MAILING ADDRESS Brian & Rebecca Ruddy 17808 31 st Drive SE Bothell, WA 98012	SITE ADDRESS (IF DIFFERENT) 33428 West Shore Drive Mount Vernon, WA 98274
---	--

Legal Description Continues on Page 2

Quantity Authorized for Diversion

DIVERSION RATE	UNITS	MAXIMUM GALLONS PER DAY	ANNUAL QUANTITY (AF/YR)
0.011 (approximately 5 gallons per minute)*	CFS	150*	0.168 (54,750 gallons per year)

*All water must be used for in-house purposes only.

Purpose

PURPOSE	DIVERSION RATE		UNITS	ANNUAL QUANTITY (AF/YR)		PERIOD OF USE (mm/dd)
	ADDITIVE	NON-ADDITIVE		ADDITIVE	NON-ADDITIVE	
Single Domestic (in-house) supply	0.011		CFS	0.168		01/01 - 12/31

Source Location

COUNTY	WATERBODY	TRIBUTARY TO	WATER RESOURCE INVENTORY AREA
Skagit	Lake Cavanaugh	Lake Creek	5 - Stillaguamish

SOURCE FACILITY/DEVICE	PARCEL	TWP	RNG	SEC	QQ.Q	LATITUDE	LONGITUDE
Unnamed Diversion	P66943	33N	6E	22	SW SE	48.329106	-122.018566

Datum: NAD83/WGS84

Place of Use

PARCELS (NOT LISTED FOR SERVICE AREAS)

P66943

LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE

Lot 171, Block 1 "LAKE CAVANAUGH SUBDIVISION, DIVISION NO. 3", Skagit County, Washington.

Measurement of Water Use

How often must water use be measured?	Monthly
How often must water use data be reported to Ecology?	Upon Request by Ecology
What volume should be reported?	Total Annual Volume
What rate should be reported?	Annual Peak Rate of Withdrawal (gpm/cfs)

Provisions**Measurements, Monitoring, Metering and Reporting**

An approved measuring device must be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173.

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Department of Fish and Wildlife Requirement(s)

The intake(s) must be screened in accordance with Department of Fish and Wildlife screening criteria (pursuant to RCW 77.57.010, RCW 77.57.070, and RCW 77.57.040). Contact the Department of Fish and Wildlife, 600 Capitol Way N, Olympia, WA 98501-1091. Attention: Habitat Program, Phone: (360) 902-2534 if you have questions about screening criteria.

<http://www.wdfw.wa.gov/reg/regions.htm>

A permit from the Department of Fish and Wildlife may be needed to raise fish in any state waters:

<http://www.wdfw.wa.gov/reg/regions.htm>.

No dam or weir may be constructed in connection with this diversion.

Schedule and Inspections


Department of Ecology personnel, upon presentation of proper credentials, will have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

Given under my hand and the seal of this office at Bellevue, Washington, this 8 day
of April, 2019.

Maia Bellon, Director
Department of Ecology



DATA REVIEW
OK MC


Ria Berns, Section Manager
Northwest Regional Office
Water Resources Program

To request ADA accommodation including materials in a format for the visually impaired, call Ecology Water Resources Program at 360-407-6872. Persons with impaired hearing may call Washington Relay Service at 711. Persons with speech disability may call TTY at 877-833-6341