After Recording Return To:

202204190069

9/2022 12:21 PM Pages: 1 of 1 Fees: \$203.50 t County Auditor



GRANTOR: (Name of Owner)_ GRANTEE: SKAGIT COUNTY

PARCEL:

Skagit County Public Health

Jennifer Johnson, Director Howard Leibrand, M.D., Health Officer

OPERATION-MAINTENANCE & MONITORING REQUIREMENT FOR PROPRIETARY ONSITE SEWAGE SYSTEMS

This form must be recorded before permit approval

NOTICE OF ON-SITE SEWAGE SYSTEM MAINTENANCE AGREEMENT REQUIREMENT (DESIGN)

LEGAL DESCRIPTION: The EAST 10 DERES of the WEST 20 Acres of the Southers To Quester of the Southers

EVERT THE South Direct Decree to Skitcht County for Fleth of whit of Detro RECORDED Joly 1985, or DET MINISTER THE South Direct Decree to Skitcht County for Fleth of whit of the Southwest Decree of the Majo Except any painting of the Majo Except any painting of the Majo Except any painting of the Major Except any painting of the Major Except and Section 14. Support to the Recorded Restractions, coursely attended to the Major Except and Section 14. Support to the HOMEOWNER AS PER SKAGIT COUNTY CODE 12.05.120 AND WASHINGTON ADMINISTRATIVE CODE 246-272A-0015 and 0270:

1. Maintenance & Monitoring Required: The septic system to be installed on this lot will require annual

QUARTER OF SECTION 19, TOWNSLIP 35 North, ROOSE 3 EAST OF HEWILLAME HE MERICHAY

	or more frequent as required scheduled main	stenance and monitoring.
2.		maintenance and monitoring must be obtained before the
3.	Maintenance Specialist Required: The person County Health Department.	on performing this service must be certified by the Skagit
I have r	read and fully understand the conditions contain	ined within this notification.
DATEI	O this 12 day of Apuil	, 20,22
State of	f Washington)	Grantor Jacques
)ss. of Skagit)	
Signed	or attests become deep $4 - 19 - 22$ by	Woman J. Reynolds (grantor).
	NOTARY SPUBLIC	And Rose Printed Name: Jadi Rose
	01.15.20.05	Notary Public in and for the State of Washington
	OF WASHING	My commission expires: 1-15-2023