

Fire District #17

Critical Facilities (Owned by District):

1. Fire Stations & Office (2 buildings) approximate value: \$300,000
6310 Guemes Island Road

Equipment:

Apparatus \$600,000

Contents \$250,000

Approximate Value of Area Served: \$133,000,000

Outline of Area Served: Guemes Island

Current and Anticipated Service Trends: Moderate housing growth; no industry

Natural Hazard Event History

NATURAL HAZARD EVENTS (1975-PRESENT)		
Type of Event	Date	Total Public Damage
Winter Storm	1991	
Tidal Flooding	1985	
Tidal Flooding	1993	
Tidal Flooding	2002	

Natural Hazard Vulnerability Analysis Rating

This District is most vulnerable to the following natural hazards - ranked in order:

1. Severe Storm/Wind
2. Tidal Flooding
3. Earthquake

Proposed Natural Hazard Mitigation Measures

Mitigation Measure	Lead Agency	Funding Source	Time Line
Structural reinforcement of existing 3-bay pole building to withstand severe wind & earthquake events	Commissioners	Grant funding	Short Term
Place existing "above ground" utilities underground w/1 600' of facilities	Commissioners	Grant Funding	Short Term
Purchase and install emergency generator at each district-owned building	Commissioners	Grant Funding	Short Term