



# SNAPSHOT: OPIOID OVERDOSE IN SKAGIT COUNTY

January 2019 - December 2020

## DEMOGRAPHICS

### Totals




**1 in 6 opioid overdoses ended in death.**


### Opioid Overdoses by Year



### Sex




### Race/Ethnicity



### Age


### Opioid Overdoses by Age




## OVERDOSE DETAILS

### Location

### Opioid Overdoses by Location



### Primary Opioid Used




**1 in 2 opioid overdoses involved polysubstance use**

Examples: Methamphetamine, Amphetamine, Benzodiazepine, THC, Cocaine, Alcohol, etc.

# OVERDOSE DETAILS CONT.

## Signs and Symptoms




## Naloxone

# 72%


Naloxone (Narcan) was administered during 217+ overdose events

## Used Alone




67% of individuals who experienced an opioid overdose, used alone.

## Reason



# OVERDOSE RESPONSE

## Responders



## Hospital Info

# 91%


of individuals seen by EMS were transported to a Skagit County hospital.

# 46%


of individuals received a toxicology screen during their hospital visit.

## Follow Up

### Outcome



### Treatment



43% of interviewed individuals were referred to treatment.

\*No interview was attempted for 55% of individuals who experienced an overdose due to follow up exclusion criteria and a delay in case identification due to COVID-19.

All data was collected through Skagit County's Overdose Notifiable Condition Ordinance program, years 2019-2020. Some variable categories have been combined to abide by the small numbers rule. Other variables have been excluded from this snapshot due to N<10. While reviewing this data, Skagit County Public Health asks that you please acknowledge the small numbers caveat.