

Exhibit C-49 S-6: 2017 Grip Rd. traffic counts

MetroCount Traffic Executive **SCOG REPORT**

CustomList-214 -- English (ENU)

Datasets:

Site: [660000005] Grip Rd E of Prairie Rd <40mph>
Direction: 6 - West bound A>B, East bound B>A. **Lane:** 0
Survey Duration: 0:00 Tuesday, October 16, 2018 => 12:47 Friday, October 19, 2018
File: 66000000519Oct2018.EC0 (Plus)
Identifier: Q2572EBD MC56-L4 [MC55] (c)Microcom 19Sep03
Algorithm: Factory default
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 0:00 Tuesday, October 16, 2018 => 0:00 Thursday, October 18, 2018
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 5 - 100 mph.
Direction: North, East, South, West (bound)
Separation: All - (Headway)
Name: Default Profile
Scheme: Vehicle classification (Scheme F2)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time]	24-hour time (0000 - 2359)
1 [Total]	Number in time step (AB)
2 [Total]	Number in time step (BA)
3 [Total]	Number in time step
4 [Cl%]	Class percentages

Source:
https://www.scog.net/TrafficCounts/CountLocation_265.pdf
Viewed Aug. 23, 2022

*** Tuesday, October 16, 2018**

Time	Total	Total	Total	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%
	AB	BA		1	2	3	4	5	6	7	8	9	10	11	12	13
0000	0	4	4	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0100	3	5	8	0.0	87.5	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0200	3	2	5	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0300	2	0	2	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0400	18	1	19	0.0	36.8	47.4	0.0	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0500	26	6	32	0.0	62.5	21.9	0.0	15.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0600	40	5	45	0.0	62.2	24.4	0.0	11.1	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0
0700	46	7	53	0.0	64.2	26.4	0.0	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0800	25	14	39	0.0	71.8	20.5	2.6	0.0	2.6	0.0	2.6	0.0	0.0	0.0	0.0	0.0
0900	15	12	27	0.0	77.8	11.1	0.0	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1000	14	11	25	0.0	72.0	24.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1100	12	9	21	0.0	71.4	28.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1200	16	16	32	0.0	65.6	21.9	0.0	6.3	3.1	0.0	3.1	0.0	0.0	0.0	0.0	0.0
1300	12	13	25	0.0	64.0	20.0	0.0	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1400	14	24	38	2.6	47.4	23.7	0.0	26.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1500	25	26	51	2.0	60.8	23.5	2.0	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1600	23	51	74	0.0	60.8	27.0	0.0	6.8	1.4	0.0	4.1	0.0	0.0	0.0	0.0	0.0
1700	15	51	66	1.5	62.1	27.3	0.0	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1800	18	39	57	0.0	59.6	28.1	0.0	7.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0
1900	12	25	37	2.7	75.7	8.1	0.0	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2000	7	12	19	0.0	84.2	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2100	1	14	15	0.0	73.3	20.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0
2200	4	7	11	0.0	81.8	18.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2300	3	5	8	0.0	62.5	37.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
00-00	354	359	713	0.6	65.1	23.3	0.3	9.0	0.4	0.0	1.4	0.0	0.0	0.0	0.0	0.0

Peak step 16:00 (74) AM Peak step 7:00 (53) PM Peak step 16:00 (74)

Vehicles = 713

Posted speed limit = 40 mph, Exceeding = 508 (71.25%), Mean Exceeding = 46.17 mph

Maximum = 69.2 mph, Minimum = 24.4 mph, Mean = 43.3 mph

85% Speed = 49.0 mph, 95% Speed = 53.2 mph, Median = 43.4 mph

10 mph Pace = 38 - 48, Number in Pace = 460 (64.52%)

Variance = 38.45, Standard Deviation = 6.20 mph

*** Wednesday, October 17, 2018**

Time	Total	Total	Total	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%
	AB	BA		1	2	3	4	5	6	7	8	9	10	11	12	13
0000	1	1	2	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0100	1	4	5	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0200	2	0	2	0.0	50.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0300	3	2	5	0.0	40.0	40.0	0.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0400	15	0	15	0.0	60.0	20.0	0.0	13.3	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0
0500	25	3	28	0.0	50.0	32.1	0.0	17.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0600	33	8	41	0.0	63.4	24.4	0.0	9.8	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0700	54	9	63	0.0	63.5	20.6	0.0	12.7	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0800	31	13	44	0.0	65.9	22.7	2.3	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0900	18	14	32	0.0	53.1	34.4	3.1	6.3	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1000	14	20	34	0.0	67.6	20.6	0.0	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1100	18	14	32	3.1	62.5	28.1	0.0	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1200	16	24	40	0.0	60.0	30.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1300	19	20	39	0.0	66.7	25.6	0.0	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1400	19	26	45	4.4	66.7	17.8	0.0	8.9	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0
1500	19	39	58	0.0	44.8	36.2	1.7	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1600	15	47	62	0.0	72.6	19.4	1.6	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1700	18	50	68	1.5	70.6	14.7	0.0	11.8	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1800	23	36	59	0.0	50.8	27.1	0.0	20.3	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0
1900	16	21	37	2.7	73.0	8.1	0.0	16.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2000	8	17	25	0.0	40.0	28.0	0.0	32.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2100	5	13	18	0.0	83.3	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2200	6	9	15	0.0	60.0	33.3	0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2300	1	6	7	0.0	85.7	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
00-00	380	396	776	0.6	62.4	23.5	0.5	12.0	0.6	0.0	0.4	0.0	0.0	0.0	0.0	0.0

Peak step 17:00 (68) AM Peak step 7:00 (63) PM Peak step 17:00 (68)

Vehicles = 776

Posted speed limit = 40 mph, Exceeding = 540 (69.59%), Mean Exceeding = 46.37 mph

Maximum = 70.7 mph, Minimum = 23.6 mph, Mean = 43.1 mph

85% Speed = 49.2 mph, 95% Speed = 53.7 mph, Median = 43.2 mph

10 mph Pace = 37 - 47, Number in Pace = 451 (58.12%)

Variance = 43.71, Standard Deviation = 6.61 mph

* Virtual Day (2)

Time	Total AB	Total BA	Total	C1% 1	C1% 2	C1% 3	C1% 4	C1% 5	C1% 6	C1% 7	C1% 8	C1% 9	C1% 10	C1% 11	C1% 12	C1% 13
0000	1	3	3	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0100	2	5	7	0.0	92.3	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0200	3	1	4	0.0	85.7	0.0	0.0	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0300	3	1	4	0.0	57.1	28.6	0.0	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0400	17	1	17	0.0	47.1	35.3	0.0	14.7	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0
0500	26	5	30	0.0	56.7	26.7	0.0	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0600	37	7	43	0.0	62.8	24.4	0.0	10.5	1.2	0.0	1.2	0.0	0.0	0.0	0.0	0.0
0700	50	8	58	0.0	63.8	23.3	0.0	11.2	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0800	28	14	42	0.0	68.7	21.7	2.4	4.8	1.2	0.0	1.2	0.0	0.0	0.0	0.0	0.0
0900	17	13	30	0.0	64.4	23.7	1.7	8.5	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1000	14	16	30	0.0	69.5	22.0	0.0	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1100	15	12	27	1.9	66.0	28.3	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1200	16	20	36	0.0	62.5	26.4	0.0	8.3	1.4	0.0	1.4	0.0	0.0	0.0	0.0	0.0
1300	16	17	32	0.0	65.6	23.4	0.0	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1400	17	25	42	3.6	57.8	20.5	0.0	16.9	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0
1500	22	33	55	0.9	52.3	30.3	1.8	14.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1600	19	49	68	0.0	66.2	23.5	0.7	6.6	0.7	0.0	2.2	0.0	0.0	0.0	0.0	0.0
1700	17	51	67	1.5	66.4	20.9	0.0	10.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1800	21	38	58	0.0	55.2	27.6	0.0	13.8	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0
1900	14	23	37	2.7	74.3	8.1	0.0	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2000	8	15	22	0.0	59.1	22.7	0.0	18.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2100	3	14	17	0.0	78.8	18.2	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0
2200	5	8	13	0.0	69.2	26.9	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2300	2	6	8	0.0	73.3	26.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
00-00	367	378	745	0.6	63.7	23.4	0.4	10.5	0.5	0.0	0.9	0.0	0.0	0.0	0.0	0.0

Vehicles = 1489

Posted speed limit = 40 mph, Exceeding = 1048 (70.38%), Mean Exceeding = 46.27 mph

Maximum = 70.7 mph, Minimum = 23.6 mph, Mean = 43.2 mph

85% Speed = 49.2 mph, 95% Speed = 53.5 mph, Median = 43.2 mph

10 mph Pace = 38 - 48, Number in Pace = 908 (60.98%)

Variance = 41.17, Standard Deviation = 6.42 mph

In profile: Vehicles = 1489 / 1491 (99.87%)

MetroCount Traffic Executive SCOG REPORT

CustomList-1203 -- English (ENU)

Datasets:

Site: [660000005] Grip Rd E of Prairie Rd <40mph>
Direction: 6 - West bound A>B, East bound B>A. **Lane:** 0
Survey Duration: 0:00 Tuesday, October 24, 2017 => 10:07 Thursday, November 02, 2017
File: 66000000502Nov2017.EC0 (Plus)
Identifier: Q015HEF5 MC56-L4 [MC55] (c)Microcom 19Sep03
Algorithm: Factory default
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 0:00 Tuesday, October 24, 2017 => 0:00 Thursday, October 26, 2017
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 5 - 100 mph.
Direction: North, East, South, West (bound)
Separation: All - (Headway)
Name: Default Profile
Scheme: Vehicle classification (Scheme F2)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step (AB)
2 [Total] Number in time step (BA)
3 [Total] Number in time step
4 [Cl%] Class percentages

*** Tuesday, October 24, 2017**

Time	Total	Total	Total	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%
	AB	BA		1	2	3	4	5	6	7	8	9	10	11	12	13
0000	2	6	8	0.0	87.5	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0100	1	3	4	0.0	75.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0200	0	2	2	0.0	50.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0300	4	2	6	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0400	9	1	10	0.0	70.0	10.0	0.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0500	25	0	25	0.0	56.0	28.0	0.0	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0600	40	6	46	2.2	67.4	28.3	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0700	47	7	54	0.0	72.2	18.5	0.0	7.4	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0
0800	33	14	47	0.0	70.2	17.0	2.1	6.4	0.0	0.0	2.1	0.0	2.1	0.0	0.0	0.0
0900	22	18	40	0.0	62.5	20.0	0.0	0.0	7.5	5.0	2.5	0.0	2.5	0.0	0.0	0.0
1000	14	21	35	0.0	77.1	8.6	0.0	8.6	2.9	0.0	2.9	0.0	0.0	0.0	0.0	0.0
1100	13	10	23	0.0	69.6	13.0	8.7	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1200	20	23	43	0.0	51.2	30.2	0.0	7.0	9.3	0.0	0.0	0.0	2.3	0.0	0.0	0.0
1300	19	21	40	0.0	62.5	15.0	7.5	7.5	2.5	2.5	0.0	0.0	2.5	0.0	0.0	0.0
1400	17	16	33	0.0	66.7	12.1	0.0	6.1	12.1	0.0	0.0	0.0	3.0	0.0	0.0	0.0
1500	22	29	51	2.0	62.7	25.5	0.0	7.8	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1600	22	37	59	0.0	71.2	16.9	0.0	5.1	0.0	0.0	5.1	0.0	1.7	0.0	0.0	0.0
1700	19	62	81	0.0	72.8	21.0	0.0	4.9	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0
1800	16	42	58	0.0	70.7	20.7	0.0	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1900	6	26	32	0.0	62.5	31.3	0.0	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2000	10	18	28	0.0	71.4	25.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2100	5	10	15	0.0	86.7	13.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2200	1	3	4	0.0	75.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2300	4	2	6	0.0	83.3	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
00-00	371	379	750	0.3	68.4	20.3	0.8	6.1	1.9	0.5	0.9	0.0	0.8	0.0	0.0	0.0

Peak step 17:00 (81) AM Peak step 7:00 (54) PM Peak step 17:00 (81)

Vehicles = 750

Posted speed limit = 40 mph, Exceeding = 481 (64.13%), Mean Exceeding = 45.48 mph

Maximum = 84.5 mph, Minimum = 19.5 mph, Mean = 42.0 mph

85% Speed = 47.4 mph, 95% Speed = 51.4 mph, Median = 42.1 mph

10 mph Pace = 37 - 47, Number in Pace = 487 (64.93%)

Variance = 41.26, Standard Deviation = 6.42 mph

*** Wednesday, October 25, 2017**

Time	Total	Total	Total	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%	C1%
	AB	BA		1	2	3	4	5	6	7	8	9	10	11	12	13
0000	3	7	10	0.0	90.0	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0100	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-
0200	1	2	3	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0300	1	2	3	0.0	66.7	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0400	10	2	12	0.0	66.7	16.7	0.0	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0500	30	2	32	0.0	68.8	15.6	0.0	12.5	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0
0600	36	8	44	0.0	56.8	36.4	0.0	4.5	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0700	44	6	50	0.0	68.0	24.0	0.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0800	30	8	38	0.0	71.1	18.4	2.6	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0900	25	10	35	0.0	57.1	31.4	0.0	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1000	21	17	38	0.0	73.7	10.5	0.0	5.3	0.0	0.0	5.3	0.0	2.6	0.0	0.0	2.6
1100	17	22	39	0.0	53.8	28.2	0.0	15.4	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0
1200	14	14	28	0.0	64.3	17.9	0.0	14.3	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1300	18	22	40	0.0	77.5	17.5	2.5	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1400	15	22	37	0.0	59.5	29.7	0.0	2.7	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1500	19	25	44	0.0	72.7	13.6	0.0	6.8	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1600	19	41	60	0.0	63.3	23.3	0.0	5.0	6.7	0.0	0.0	1.7	0.0	0.0	0.0	0.0
1700	15	55	70	0.0	75.7	18.6	0.0	4.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1800	15	40	55	0.0	69.1	20.0	0.0	7.3	1.8	0.0	1.8	0.0	0.0	0.0	0.0	0.0
1900	18	26	44	0.0	75.0	13.6	2.3	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2000	9	17	26	0.0	65.4	26.9	0.0	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2100	1	16	17	0.0	76.5	5.9	0.0	17.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2200	1	7	8	0.0	37.5	50.0	0.0	0.0	0.0	0.0	12.5	0.0	0.0	0.0	0.0	0.0
2300	2	3	5	0.0	80.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
00-00	364	374	738	0.0	67.9	21.1	0.4	7.5	1.9	0.0	0.7	0.1	0.3	0.0	0.0	0.1

Peak step 17:00 (70) AM Peak step 7:00 (50) PM Peak step 17:00 (70)

Vehicles = 738

Posted speed limit = 40 mph, Exceeding = 456 (61.79%), Mean Exceeding = 45.66 mph

Maximum = 77.8 mph, Minimum = 18.5 mph, Mean = 41.9 mph

85% Speed = 47.9 mph, 95% Speed = 52.1 mph, Median = 41.8 mph

10 mph Pace = 36 - 46, Number in Pace = 464 (62.87%)

Variance = 40.78, Standard Deviation = 6.39 mph

* Virtual Day (2)

Time	Total AB	Total BA	Total	C1% 1	C1% 2	C1% 3	C1% 4	C1% 5	C1% 6	C1% 7	C1% 8	C1% 9	C1% 10	C1% 11	C1% 12	C1% 13
0000	3	7	9	0.0	88.9	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0100	1	2	2	0.0	75.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0200	1	2	3	0.0	80.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0300	3	2	5	0.0	88.9	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0400	10	2	11	0.0	68.2	13.6	0.0	18.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0500	28	1	29	0.0	63.2	21.1	0.0	14.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0
0600	38	7	45	1.1	62.2	32.2	0.0	3.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0700	46	7	52	0.0	70.2	21.2	0.0	7.7	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
0800	32	11	43	0.0	70.6	17.6	2.4	7.1	0.0	0.0	1.2	0.0	1.2	0.0	0.0	0.0
0900	24	14	38	0.0	60.0	25.3	0.0	5.3	4.0	2.7	1.3	0.0	1.3	0.0	0.0	0.0
1000	18	19	37	0.0	75.3	9.6	0.0	6.8	1.4	0.0	4.1	0.0	1.4	0.0	0.0	1.4
1100	15	16	31	0.0	59.7	22.6	3.2	12.9	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0
1200	17	19	36	0.0	56.3	25.4	0.0	9.9	7.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0
1300	19	22	40	0.0	70.0	16.3	5.0	5.0	1.3	1.3	0.0	0.0	1.3	0.0	0.0	0.0
1400	16	19	35	0.0	62.9	21.4	0.0	4.3	10.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0
1500	21	27	48	1.1	67.4	20.0	0.0	7.4	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1600	21	39	60	0.0	67.2	20.2	0.0	5.0	3.4	0.0	2.5	0.8	0.8	0.0	0.0	0.0
1700	17	59	76	0.0	74.2	19.9	0.0	4.6	0.7	0.0	0.7	0.0	0.0	0.0	0.0	0.0
1800	16	41	57	0.0	69.9	20.4	0.0	8.0	0.9	0.0	0.9	0.0	0.0	0.0	0.0	0.0
1900	12	26	38	0.0	69.7	21.1	1.3	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2000	10	18	27	0.0	68.5	25.9	0.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2100	3	13	16	0.0	81.3	9.4	0.0	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2200	1	5	6	0.0	50.0	41.7	0.0	0.0	0.0	0.0	8.3	0.0	0.0	0.0	0.0	0.0
2300	3	3	6	0.0	81.8	18.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
00-00	368	377	744	0.1	68.1	20.7	0.6	6.8	1.9	0.3	0.8	0.1	0.5	0.0	0.0	0.1

Vehicles = 1488

Posted speed limit = 40 mph, Exceeding = 937 (62.97%), Mean Exceeding = 45.57 mph

Maximum = 84.5 mph, Minimum = 18.5 mph, Mean = 42.0 mph

85% Speed = 47.6 mph, 95% Speed = 51.9 mph, Median = 41.8 mph

10 mph Pace = 36 - 46, Number in Pace = 944 (63.44%)

Variance = 40.99, Standard Deviation = 6.40 mph

In profile: Vehicles = 1488 / 1490 (99.87%)